EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	214	726/13.ccls.	US-PGPUB; USPAT	OR	OFF	2006/05/18 19:08
S2	629	intranet near3 firewall	US-PGPUB; USPAT	OR	OFF	2006/05/18 17:50
S3	2	intranet near3 firewall and S1	US-PGPUB; USPAT	OR	OFF	2006/05/18 17:50
S4	0	intranet near3 firewall and delimitarized	US-PGPUB; USPAT	OR	OFF	2006/05/18 17:51
S5	91	intranet near3 firewall and dmz	US-PGPUB; USPAT	OR	OFF	2006/05/18 17:51
S6	18	intranet near3 firewall near3 external	US-PGPUB; USPAT	OR	OFF	2006/05/18 17:51
S7	5439	(access adj control adj list acl)	US-PGPUB; USPAT	OR	OFF	2006/05/18 19:08
S8	26	(access adj control adj list acl) near3 external	US-PGPUB; USPAT	OR	OFF	2006/05/18 19:10
S9	179	(access adj control adj list acl) near3 database	US-PGPUB; USPAT	OR	OFF	2006/05/18 19:10
S10	132	(access adj control adj list acl) near2 database	US-PGPUB; USPAT	OR	OFF	2006/05/18 19:13
S11	119	(rule$1 access adj control adj list acl) near5 database same firewall	US-PGPUB; USPAT	OR	OFF	2006/05/18 19:47
S12	1	"6484261".pn.	US-PGPUB; USPAT	OR	OFF	2006/05/19 13:07
S13	173620	(judg$3 label$3 rank$3 classif$4 separat$4 verif$5 separat$3 compartemntaliz$3 sort$4 assign$4 assess$4 group$3 devid$3 categori$4 restrict$3 analys$3 identif$4 predict$3) with (trustworth$5 trust$2 malicious secure critical non adj critical corrupt$3 bug$3 behav$4 misbehav$3 fail$4 classif$4 secret top adj secret topsecret stable threat$3 integrity volnurabl$4 risk$1 confidential4 classified unclassified restrict$2 sensitiv$3 complexity) with (program$1 application$1 service$1 process$2 software execuable$1 module$1 class$2)	US-PGPUB; USPAT	OR	OFF	2006/05/19 13:08

S14	329393	(judg$3 label$3 rank$3 classif$4 separat$4 verif$5 separat$3 compartemntaliz$3 sort$4 assign$4 assess$4 group$3 devid$3 categori$4 restrict$3 analys$3 identif$4 predict$3) near5 (trustworth$5 trust$2 malicious secure critical non adj critical corrupt$3 bug$3 behav$4 misbehav$3 fail$4 classif$4 secret top adj secret topsecret stable threat$3 integrity volnurabl$4 risk$1 confidential4 classified unclassified restrict$2 sensitiv$3 complexity)	US-PGPUB; USPAT	OR	OFF	2006/05/19 13:08
S15	65836	(judg$3 label$3 rank$3 classif$4 separat$4 verif$5 separat$3 compartemntaliz$3 sort$4 assign$4 assess$4 group$3 devid$3 categori$4 restrict$3 analys$3 identif$4 predict$3) near5 (program$1 application$1 service$1 process$2 software execuable$1 module$1 class$2) near5 (trustworth$5 trust$2 malicious secure critical non adj critical corrupt$3 bug$3 behav$4 misbehav$3 fail$4 classif$4 secret top adj secret topsecret stable threat$3 integrity volnurabl$4 risk$1 confidential4 classified unclassified restrict$2 sensitiv$3 complexity)	US-PGPUB; USPAT	OR	OFF	2006/05/19 13:20
S16	43936	(separat$3 group$3 split$3 divid$3 partition$3)near5 (program$1 application$1 service$1 process$2 software execuable$1 module$1 class$2) near5 (node$1 workstation$1 terminal$1 pc$1 computer$1 work adj1 station$1 server$1 PC$1)	US-PGPUB; USPAT	OR	OFF	2006/05/19 13:12
S17	794	S15 same S16	US-PGPUB; USPAT	OR	OFF	2006/05/19 13:11
S18	109	S17 and ("726"/$ "713"/$ "380"/$).ccls.	US-PGPUB; USPAT	OR	OFF	2006/05/19 13:15
S19	15328	(separat$3 group$3 split$3 divid$3 partition$3)adj3 (program$1 application$1 service$1 process$2 software execuable$1 module$1 class$2) near5 (node$1 workstation$1 terminal$1 pc$1 computer$1 work adj1 station$1 server$1 PC$1)	US-PGPUB; USPAT	OR	OFF	2006/05/19 13:13

EAST Search History

S20	16568	(((separat$3 group$3 split$3 divid$3 partition$3)adj3 (program$1 application$1 service$1 process$2 software execuable$1 module$1 class$2)) or ((program$1 application$1 service$1 process$2 software execuable$1 module$1 class$2)) adj3 (separated grouped splited divided partitioned)) near5 (node$1 workstation$1 terminal$1 pc$1 computer$1 work adj1 station$1 server$1 PC$1)	US-PGPUB; USPAT	OR	OFF	2006/05/19 13:20
S21	15328	S19 same S20	US-PGPUB; USPAT	OR	OFF	2006/05/19 13:14
S22	273	S20 same S15	US-PGPUB; USPAT	OR	OFF	2006/05/19 13:15
S23	43	S22 and ("726"/$ "713"/$ "380"/$).ccls.	US-PGPUB; USPAT	OR	OFF	2006/05/19 14:05
S24	2315	(((separat$3 group$3 split$3 divid$3 partition$3)adj3 (program$1 application$1 service$1 process$2 software execuable$1 module$1 class$2)) or ((program$1 application$1 service$1 process$2 software execuable$1 module$1 class$2)) adj3 (separated grouped splited divided partitioned)) near5 (node$1 workstation$1 terminal$1 pc$1 computer$1 work adj1 station$1 server$1 PC$1)	USOCR; EPO; JPO; DERWENT	OR	OFF	2006/05/19 13:20
S25	16875	(judg$3 label$3 rank$3 classif$4 separat$4 verif$5 separat$3 compartemntaliz$3 sort$4 assign$4 assess$4 group$3 devid$3 categori$4 restrict$3 analys$3 identif$4 predict$3) near5 (program$1 application$1 service$1 process$2 software execuable$1 module$1 class$2) near5 (trustworth$5 trust$2 malicious secure critical non adj critical corrupt$3 bug$3 behav$4 misbehav$3 fail$4 classif$4 secret top adj secret topsecret stable threat$3 integrity volnurabl$4 risk$1 confidential4 classified unclassified restrict$2 sensitiv$3 complexity)	USOCR; EPO; JPO; DERWENT	OR	OFF	2006/05/19 13:24
S26	24	S24 near10 S25	USOCR; EPO; JPO; DERWENT	OR	OFF	2006/05/19 13:27

EAST Search History

S28	596	(judg$3 label$3 rank$3 classif$4 assign$4 assess$4 analys$3 identif$4 predict$3) with (attribut$1 level degree class classes classification tear grade) with (program$1 application$1 service$1 process$2 software execuable$1 module$1 class$2) near3 (trustworth$5 trust$2 malicious corrupt$3 bug$3 stable stability threat$3 integrity risk$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/05/19 14:05
S29	281	(judg$3 label$3 rank$3 classif$4 assign$4 assess$4 analys$3 identif$4 predict$3) with (program$1 application$1 service$1 process$2 software execuable$1 module$1 class$2) near5 (attribut$1 level degree class classes classification tear grade)near3 (trustworth$5 trust$2 malicious corrupt$3 bug$3 stable stability threat$3 integrity risk$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/05/19 14:05
S30	355	(judg$3 label$3 rank$3 classif$4 assign$4 assess$4 analys$3 identif$4 predict$3) near5 (program$1 application$1 service$1 process$2 software execuable$1 module$1 class$2) near5 (attribut$1 level degree class classes classification tear grade)near3 (trustworth$5 trust$2 malicious corrupt$3 bug$3 stable stability threat$3 integrity risk$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/05/19 14:03
S31	543	(judg$3 label$3 rank$3 classif$4 assign$4 assess$4 analys$3 identif$4 predict$3) with (attribut$1 level degree class classes classification tear grade) with (program$1 application$1 service$1 process$2 software execuable$1 module$1 class$2) near3 (trustworth$5 trust$2 malicious corrupt$3 bug$3 stable stability threat$3 integrity·risk$1)	US-PGPUB; USPAT	OR	OFF	2006/05/19 14:19
S32	79	S31 and ("726"/$ "713"/$ "380"/$).ccls.	US-PGPUB; USPAT	OR	OFF	2006/05/19 14:14
S33	85976	(program$1 application$1 service$1 process$2 software execuable$1 module$1 class$2) near5 (select$3 choos$3 chosen plac$3 instal$4 pick$3 specif$2 assign$3) near4 (location computer node PC server)	US-PGPUB; USPAT	OR	OFF	2006/05/19 14:20

S34	53	(judg$3 label$3 rank$3 classif$4 assign$4 assess$4 analys$3 identif$4 predict$3) with (attribut$1 level degree class classes classification tear grade) with (program$1 application$1 service$1 process$2 software execuable$1 module$1 class$2) near3 (trustworth$5 trust$2 malicious corrupt$3 bug$3 stable stability threat$3 integrity risk$1)	EPO; JPO; DERWENT	OR	OFF	2006/05/19 14:13
S35	5	S31 same S33	US-PGPUB; USPAT	OR	OFF	2006/05/19 14:14
S37	31	(judg$3 label$3 rank$3 classif$4 assign$4 assess$4 analys$3 identif$4 predict$3) with (attribut$1 level degree class classes classification tear grade) with (program$1 application$1 service$1 process$2 software execuable$1 module$1 class$2) near3 (trustworth$5 trust$2 malicious corrupt$3 bug$3 stable stability threat$3 integrity risk$1)	USOCR; EPO; JPO	OR	OFF	2006/05/19 14:41
S38	53	(judg$3 label$3 rank$3 classif$4 assign$4 assess$4 analys$3 identif$4 predict$3) with (attribut$1 level degree class classes classification tear grade) with (program$1 application$1 service$1 process$2 software execuable$1 module$1 class$2) near3 (trustworth$5 trust$2 malicious corrupt$3 bug$3 stable stability threat$3 integrity risk$1)	EPO; JPO; DERWENT	OR	OFF	2006/05/19 14:19
S40	13516	(program$1 application$1 service$1 process$2 software execuable$1 module$1 class$2) near5 (select$3 choos$3 chosen plac$3 instal$4 pick$3 specif$2 assign$3) near4 (location computer node PC server)	EPO; JPO; DERWENT	OR	OFF	2006/05/19 14:20
S41	1	(S37 S38) and S40	EPO; JPO; DERWENT	OR	OFF	2006/05/19 14:20
S42	102	(separat$3) near5 (program$1 application$1 service$1 process$2 software execuable$1 module$1 class$2) near3 (trustworth$5 trust$2 malicious corrupt$3 bug$3 stable stability threat$3 integrity risk$1)	USOCR; EPO; JPO	OR	OFF	2006/05/19 14:44

EAST Search History

S43	0	(location computer node PC server) near4 (separat$3) near5 (program$1 application$1 service$1 process$2 software execuable$1 module$1 class$2) near3 (trustworth$5 trust$2 malicious corrupt$3 bug$3 stable stability threat$3 integrity risk$1)	USOCR; EPO; JPO	OR	OFF	2006/05/19 14:43
S44	5	(location computer node PC server) same S42	USOCR; EPO; JPO	OR	OFF	2006/05/19 14:43
S45	808	(separat$3) near5 (program$1 application$1 service$1 process$2 software execuable$1 module$1 class$2) near3 (trustworth$5 trust$2 malicious corrupt$3 bug$3 stable stability threat$3 integrity risk$1)	US-PGPUB; USPAT	OR	OFF	2006/05/19 14:45
S46	23	(location computer node PC server) near4 (separat$3) near5 (program$1 application$1 service$1 process$2 software execuable$1 module$1 class$2) near3 (trustworth$5 trust$2 malicious corrupt$3 bug$3 stable stability threat$3 integrity risk$1)	US-PGPUB; USPAT	OR	OFF	2006/05/19 14:45
S47	15	(location computer node PC server) near4 (separat$3) near5 (program$1 application$1 service$1 process$2 software execuable$1 module$1 class$2) near3 (trustworth$5 un adj trust$2 untrust$2 malicious corrupt$3 bug$3 stable stability threat$3 integrity risk$1)	US-PGPUB; USPAT	OR	OFF	2006/05/19 16:13